

Safety Data Sheet

according to Regulation (EC) No. 453/2010 Issue date: 15/04/2024 Revision date: 15/04/2024 Supersedes version of: 5/05/2020 Version: 0.31

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Product name UFI Type of product	 Mixture REWANET MEGA SUPER CONCENTRE Q8U3-1RJ7-PN9P-PCPM Water-based dispersion / solution.
1.2. Relevant identified uses of the	substance or mixture and uses advised against
1.2.1. Relevant identified uses	
Main use category	 SU3 Industrial uses: Uses of substances as such or in preparations* at industrial sites,SU19 Building and construction work,SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Function or use category	PC35 Washing and cleaning products (including solvent based products), PROC7 Industrial spraying, PROC8a Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities, PROC8b Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities, PROC10 Roller application or brushing, PROC11 Non industrial spraying, ERC8d Wide dispersive outdoor use of processing aids in open systems

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Rewah Nijverheidsweg 24 B-2240 Zandhoven Belgique-België T +32 (0)3 4751414, F +32 (0)3 4751094

1.4. Emergency telephone number

Emergency number

: +32 (0)70 245 245

Country/Area	Organisation/Company	Address	Emergency number	Comment
Belgium	Centre Anti-Poisons/Antigifcentrum c/o Hôpital Central de la Base - Reine Astrid	Rue Bruyn 1 1120 Bruxelles/Brussel	+ 32 (0)70 245 245	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute Tox. 4 (Oral)	H302
Skin Corr. 1B	H314
Aquatic Acute 1	H400
Aquatic Chronic 1	H410
Full text of hazard classes. H- and EUH-statements: see section	on 16

Adverse physicochemical, human health and environmental effects

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 453/2010

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) GHS05 GHS07 GHS09 Signal word (CLP) : Danger Contains : Isotridecyl alcohol polyoxyethylene ether Hazard statements (CLP) : H302 - Harmful if swallowed. H314 - Causes severe skin burns and eye damage. H410 - Very toxic to aquatic life with long lasting effects. Precautionary statements (CLP) : P273 - Avoid release to the environment. P280 - Wear protective clothing/eye protection/face protection. P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a doctor. P501 - Dispose of contents to an approved waste disposal plant. 2.3. Other hazards

Other hazards which do not result in classification : The product does not meet the PBT and vPvB classification criteria.

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Alkyl dimethylbenzylammoniumchloride	CAS-No.: 68424-85-1 EC-No.: 270-325-2 REACH-no: 01-2119983287- 23	≥ 25	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Isotridecyl alcohol polyoxyethylene ether	CAS-No.: 69011-36-5	5 – 25	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation

: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.

Safety Data Sheet

according to Regulation (EC) No. 453/2010	
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and e	ffects, both acute and delayed
Symptoms/effects Symptoms/effects after eye contact	 Not expected to present a significant hazard under anticipated conditions of normal use. Causes serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Not required.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Foam. Dry powder. Carbon dioxide. Water spray. Sand.None, to our knowledge.
5.2. Special hazards arising from the sub	stance or mixture
Fire hazard Explosion hazard Reactivity in case of fire	In dry state: combustible.Not applicable.Not applicable.
5.3. Advice for firefighters	
Precautionary measures fire Protection during firefighting Other information	 Avoid (reject) fire-fighting water to enter environment. Do not enter fire area without proper protective equipment, including respiratory protection. High temperature may liberate toxic gases.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equip	oment and emergency procedures	
6.1.1. For non-emergency personnel		
Protective equipment	: Wear suitable protective clothing, gloves and eye/face protection.	

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Restrict liquid from spreading over surface with floating screens if possible.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Clean up any spills as soon as possible, using an absorbent material to collect it. Waste to eliminate according to chemical waste law.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Avoid contact with skin and eyes.

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Hygiene measures

: Wash hands thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Storage temperature Storage area	 Keep container closed when not in use. 5 – 30 °C Store away from freezing (avoid freezing during storage).
7.3. Specific end use(s)	

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Good ventilation of the workplace required. Eyewash station. recommended neutralizing eye wash bottle.

8.2.2. Personal protection equipment

Personal protective equipment:

The choice of the necessary personal protective equipment depends on the type to be carried out work and local conditions to be assessed by the employer. When in the In the context of an on-site risk assessment, it is established that there is no risk to employees, personal protective equipment can be disregarded, respectively adjusted accordingly. The following information regarding personal protective equipment is a recommendation. Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

If there is a risk of liquid being splashed : Wear tight fitting safety glasses.

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet	With side shields	EN 166

Safety Data Sheet

according to Regulation (EC) No. 453/2010

8.2.2.2. Skin protection

Skin and body protection:

If repeated skin contact or contamination of clothing is likely, protective clothing should be worn. Cotton or cotton/synthetic overalls or coveralls are normally suitable. Tyvek® Gown/Coveralls

Skin and body protection		
Туре	Standard	
Tyvek® Gown/Coveralls	EN 13034, EN 340	

Hand protection:

Wear protective gloves. Permeation. 2 (> 30 minutes). Recommendation. Use nitrile gloves. Wear rubber gloves or Latex gloves. Protective gloves made of PVC. Replace gloves in time: no glovematerial is unlimited protecting to chemicals or a combination of chemicals.

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	> 0.38 mm		EN 374-3
Disposable gloves	Nitrile rubber (NBR)	2 (> 30 minutes)	> 0.12		EN 374-2

8.2.2.3. Respiratory protection

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Dust/aerosol mask with filter type P1. In case of fumes or aerosols: wear a respirator half mask P2. During spraying wear suitable respiratory equipment: . Mask P2 in case an airless machine is used.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Do not flush into surface water or sewer system.

Other information:

Wash hands and face before break and at end of works. When using, do not eat, drink or smoke.

SECTION 9: Physical and chemical	proportios
SECTION 9. Physical and chemical	properties
9.1. Information on basic physical and c	chemical properties
Physical state Colour Odour Odour threshold	: Liquid : Colourless. Green. : Characteristic. : Not available
Melting point Freezing point Boiling point	: Not available : ≈ 0 °C : ≈ 100 °C
Flammability Explosive properties Oxidising properties	Non flammable.Not applicable.Not applicable.
Lower explosion limit Upper explosion limit Flash point Auto-ignition temperature	: Not available : Not available : Not applicable. : Not available
Decomposition temperature pH Viscosity, kinematic	: Not available : Not available : ≈ 8 : Not available
Solubility Partition coefficient n-octanol/water (Log Kow) Vapour pressure	: Soluble in water. : Not available : Not available

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Vapour pressure at 50°C Density Relative density	: Not available : Not available : ≈ 1 : Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content

: 0 – 1 g/l

SECTION 10: Stability and reactivity
10.1. Reactivity
Not applicable.
10.2. Chemical stability
Stable under normal conditions.
10.3. Possibility of hazardous reactions
Refer to section 10.1 on Reactivity.
10.4. Conditions to avoid
Extremely high or low temperatures.
10.5. Incompatible materials
Strong acids.
10.6. Hazardous decomposition products
Incomplete combustion will generate poisonous carbon monoxide, carbon dioxide and other toxic gases.

SECTION 11:	Toxicological information
	i oxioologioar information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
Acute toxicity (dermal) :	Harmful if swallowed. Not classified Not classified	
REWANET MEGA SUPER CONCENTRE		
ATE CLP (oral)	1372 mg/kg bodyweight	
Alkyl dimethylbenzylammoniumchloride (68424-85-1)		
LD50 oral rat	397,5 mg/kg	
LD50 dermal rabbit	3412 mg/kg	
Skin corrosion/irritation :	Causes severe skin burns. pH: ≈ 8	
Serious eye damage/irritation :	Assumed to cause serious eye damage pH: ≈ 8	
Respiratory or skin sensitisation :	Not classified	
Germ cell mutagenicity :	Not classified	
Carcinogenicity :	Not classified	
Reproductive toxicity :	Not classified	

Safety Data Sheet

according to Regulation (EC) No. 453/2010

STOT-single exposure STOT-repeated exposure Aspiration hazard	 Not classified Not classified Not classified
11.2. Information on other hazards	
11.2.1. Endocrine disrupting properties No additional information available	
11.2.2. Other information	
Potential adverse human health effects and	: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

symptoms

· · · · · · · · · · · · · · · · · · ·		
5, 5	In water, material soluble. Very toxic to aquatic life.	
Hazardous to the aquatic environment, long–term : Very toxic to aquatic life with long lasting effects. (chronic)		
Isotridecyl alcohol polyoxyethylene ether (69011-36-5)		
LC50 - Fish [1]	1 – 10 Leuciscus idus (golden orfe)	
EC50 - Crustacea [1]	1 – 10	
Alkyl dimethylbenzylammoniumchloride (68424-85-1)		
LC50 - Fish [1]	0,515 mg/l	
EC50 - Other aquatic organisms [1]	0,016 mg/l daphnia	

12.2. Persistence and degradability

REWANET MEGA SUPER CONCENTRE		
Persistence and degradability	Product is biodegradable based on its components.	
Isotridecyl alcohol polyoxyethylene ether (69011-36-5)		
Persistence and degradability	Readily biodegradable.	
Biodegradation	> 60 % (28d, OECD301B, C.4-C; 648/2004).	
Alkyl dimethylbenzylammoniumchloride		
Persistence and degradability	Readily biodegradable.	
Biodegradation	95,5 % (OESO 301B method) (28 days)	

12.3. Bioaccumulative potential

REWANET MEGA SUPER CONCENTRE	
Bioaccumulative potential	According to literature, not bioaccumulative.

12.4. Mobility in soil

REWANET MEGA SUPER CONCENTRE	
Ecology - soil	None known.
Additional information	Harmful to fishes

Safety Data Sheet

according to Regulation (EC) No. 453/2010

12.5. Results of PBT and vPvB assessme	nt
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
Additional information	: Avoid release to the environment

SECTION 13: Disposal consideration	s
13.1. Waste treatment methods	
Product/Packaging disposal recommendations	: Forbidden through garbage can or sewerage, follow the next guidelines: 75/442/EG & 91/689/EG. Dispose in a safe manner in accordance with local/national regulations.
Ecological information European List of Waste (LoW, EC 2000/532)	 Avoid release to the environment. 20 01 29* - detergents containing dangerous substances

SECTION 14: Transport information	
------------------------------------------	--

In accordance with ADR / IATA

14.1. UN number or ID number	
UN-No. (ADR) UN-No. (IATA)	: UN 1760 : UN 1760
14.2. UN proper shipping name	
Proper Shipping Name (ADR) Proper Shipping Name (IATA) Transport document description (ADR) Transport document description (IATA)	 CORROSIVE LIQUID, N.O.S. Corrosive liquid, n.o.s. UN 1760 CORROSIVE LIQUID, N.O.S., 8, III, (E) UN 1760 Corrosive liquid, n.o.s., 8, III, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard class(es)	


ADR

Transport hazard class(es) (ADR)	: 8
Danger labels (ADR)	: 8



ΙΑΤΑ

Transport hazard class(es) (IATA) Danger labels (IATA)



14.4. Packing group

Packing group (ADR)	: III
Packing group (IATA)	: III
14.5. Environmental hazards	
Dangerous for the environment	: Yes
Other information	: No supplementary information available

Safety Data Sheet

according to Regulation (EC) No. 453/2010

14.6. Special precautions for user

Overland transport

Overland transport		
Classification code (ADR)	:	C9
Special provisions (ADR)	:	274
Limited quantities (ADR)	:	51
Excepted quantities (ADR)	:	E1
Packing instructions (ADR)	:	P001, IBC03, LP01,
Mixed packing provisions (ADR)	:	MP19
Portable tank and bulk container instructions (ADR)		T7
Portable tank and bulk container special provisions		TP1, TP28
(ADR)	•	11 1, 11 20
Tank code (ADR)		L4BN
Vehicle for tank carriage	:	AT
Transport category (ADR)	:	3
Special provisions for carriage - Packages (ADR)		V12
Hazard identification number (Kemler No.)	•	80
, , , , , , , , , , , , , , , , , , ,	•	80
Orange plates	-	80
		00
		1760
Tunnel restriction code (ADR)	:	E
EAC code	:	2X
APP code	:	В
Air transport		
Transport regulations (IATA)	:	Not applicable.
PCA Excepted quantities (IATA)	:	E1
PCA Limited quantities (IATA)	:	Y841
PCA limited quantity max net quantity (IATA)	:	1L
PCA packing instructions (IATA)	:	852
PCA max net quantity (IATA)	:	5L
CAO packing instructions (IATA)	:	856
CAO max net quantity (IATA)	:	60L
Special provisions (IATA)	:	A3, A803
ERG code (IATA)		8L
	•	-

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no REACH substances with Annex XVII restrictions

REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances

REACH Candidate List (SVHC)

Contains no substance on the REACH candidate list

PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

R001

POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

VOC Directive (2004/42)

VOC content

: 0 – 1 g/l

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Does not contain a substance covered by Regulation (EC) No 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and placing on the market of certain substances used in the unlawful production of narcotic drugs and psychotropic substances .

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
1.2			
8.2			

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information

: None.

Full text of H- and EUH-statements:			
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4		
Acute Tox. 4 (Oral)	cute toxicity (oral), Category 4		
Aquatic Acute 1	lazardous to the aquatic environment – Acute Hazard, Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1		
H302	Harmful if swallowed.		
H312	Harmful in contact with skin.		
H314	Causes severe skin burns and eye damage.		
H318	Causes serious eye damage.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B		

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:			
Acute Tox. 4 (Oral)	H302 Calculation method		
Skin Corr. 1B	H314	Expert judgement	
Aquatic Acute 1	H400	Calculation method	
Aquatic Chronic 1	H410	Calculation method	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.